


Z 40/...

Mat.: WS (≈ 1.2516)
DIN ISO 6751 (DIN 1530-1)



► Info



Neu / New / Nouveau

d ₂	k	r	d ₁	l ₁	Nr./No.
2,5	1,2	0,2	0,8	40	Z 40/0,8x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
2,5	1,2	0,2	1	40	Z 40/1 x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
2,5	1,2	0,2	1,1	40	Z 40/1,1x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
2,5	1,2	0,2	1,2	40	Z 40/1,2x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
3	1,5	0,2	1,3	40	Z 40/1,3x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
3	1,5	0,2	1,4	40	Z 40/1,4x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
3	1,5	0,2	1,5	40	Z 40/1,5x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
3	1,5	0,2	1,6	40	Z 40/1,6x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
3	1,5	0,2	1,7	40	Z 40/1,7x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
3	1,5	0,2	1,8	40	Z 40/1,8x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
3	1,5	0,2	1,9	40	Z 40/1,9x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160

d ₂	k	r	d ₁	l ₁	Nr./No.
3	1,5	0,2	1,4	40	Z 40/1,4x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
3	1,5	0,2	1,5	40	Z 40/1,5x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
3	1,5	0,2	1,6	40	Z 40/1,6x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
3	1,5	0,2	1,7	40	Z 40/1,7x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
3	1,5	0,2	1,8	40	Z 40/1,8x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
3	1,5	0,2	1,9	40	Z 40/1,9x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160


This is trial version
www.adultpdf.com

Z40/...

Mat.: WS (≈ 1.2516)
DIN ISO 6751 (DIN 1530-1)



► Info



Neu / New / Nouveau

d ₂	k	r	d ₁	l ₁	Nr./No.
3	1,5	0,2	1,9	40	Z40/1,9x 40
				50	50
				63	63
				80	80
				100	100
				125	125
				160	160
				200	200
				250	250
4	2	0,2	2	40	Z40/2 x 40
				63	63
				80	80
				100	100
				125	125
				160	160
				200	200
				250	250
				315	315
4	2	0,2	2,2	100	Z40/2,2x100
				125	125
				160	160
				200	200
				250	250
				315	315
5	2	0,3	2,5	40	Z40/2,5x 40
				63	63
				80	80
				100	100
				125	125
				160	160
				200	200
				250	250
				315	315
400	400				

d ₂	k	r	d ₁	l ₁	Nr./No.				
6	3	0,3	3	40	Z40/3 x 40				
				63	63				
				80	80				
				100	100				
				125	125				
				160	160				
				200	200				
				250	250				
				315	315				
6	3	0,3	3,2	100	Z40/3,2x100				
				125	125				
				160	160				
				200	200				
				250	250				
				315	315				
				400	400				
				7	3	0,3	3,5	100	Z40/3,5x100
								125	125
160	160								
200	200								
250	250								
315	315								
400	400								
7	3	0,3	3,7	100	Z40/3,7x100				
				125	125				
				160	160				
				200	200				
				250	250				
				400	400				
8	3	0,3	4	40	Z40/4 x 40				
				63	63				
				80	80				
				100	100				
				125	125				
				160	160				
				200	200				
				250	250				
				315	315				
				400	400				

12 01 1 12 15 212226


This is trial version
www.adultpdf.com

Z 40/...

Mat.: WS (≈ 1.2516)
DIN ISO 6751 (DIN 1530-1)



► Info



Neu / New / Nouveau

d ₂	k	r	d ₁	l ₁	Nr./No.
8	3	0,3	4,2	100	Z 40/4,2 x 100
				125	125
				160	160
				200	200
				250	250
				315	315
8	3	0,3	4,5	100	Z 40/4,5 x 100
				125	125
				160	160
				200	200
				250	250
				315	315
10	3	0,3	5	40	Z 40/5 x 40
				63	63
				80	80
				100	100
				125	125
				160	160
10	3	0,3	5,2	100	Z 40/5,2 x 100
				125	125
				160	160
				200	200
				250	250
				315	315
10	3	0,3	5,5	100	Z 40/5,5 x 100
				125	125
				160	160
				200	200

d ₂	k	r	d ₁	l ₁	Nr./No.
12	5	0,5	6	40	Z 40/6 x 40
				63	63
				80	80
				100	100
				125	125
				160	160
				200	200
				250	250
12	5	0,5	6,2	100	Z 40/6,2 x 100
				125	125
				160	160
				200	200
				250	250
				315	315
12	5	0,5	6,5	100	Z 40/6,5 x 100
				125	125
				160	160
				200	200
				250	250
				315	315
12	5	0,5	7	100	Z 40/7 x 100
				125	125
				160	160
				200	200
				250	250
				315	315
12	5	0,5	7,5	100	Z 40/7,5 x 100
				125	125
				160	160
				200	200
				250	250


This is trial version
www.adultpdf.com

Z40/...

Mat.: WS (≈ 1.2516)
DIN ISO 6751 (DIN 1530-1)



► Info



Neu / New / Nouveau

d ₂	k	r	d ₁	l ₁	Nr./No.
14	5	0,5	8	63	Z40/ 8 x 63
				80	80
				100	100
				125	125
				160	160
				200	200
				250	250
				315	315
				400	400
				500	500
14	5	0,5	8,2	100	Z40/ 8,2x100
				125	125
				160	160
				200	200
				250	250
				315	315
14	5	0,5	8,5	100	Z40/ 8,5x100
				125	125
				160	160
				200	200
				250	250
				315	315
14	5	0,5	9	80	Z40/ 9 x 80
				100	100
				125	125
				160	160
				200	200
				250	250
				315	315
16	5	0,5	10	80	Z40/10 x 80
				100	100
				125	125
				160	160
				200	200
				250	250
				315	315
				400	400
				500	500

d ₂	k	r	d ₁	l ₁	Nr./No.
16	5	0,5	10,2	125	Z40/10,2x125
				160	160
				200	200
				250	250
				315	315
16	5	0,5	10,5	100	Z40/10,5x100
				125	125
				160	160
				200	200
				250	250
				315	315
				400	400
18	7	0,8	12	80	Z40/12 x 80
				100	100
				125	125
				160	160
				200	200
				250	250
				315	315
18	7	0,8	12,2	80	Z40/12,2x 80
				100	100
				125	125
				160	160
				200	200
				250	250
				315	315
18	7	0,8	12,5	100	Z40/12,5x100
				125	125
				160	160
				200	200
				250	250
				315	315

12.01.112.15 212226


This is trial version
www.adultpdf.com

Z 40/...

Mat.: WS (≈ 1.2516)
 DIN ISO 6751 (DIN 1530-1)



Info



Neu / New / Nouveau

d ₂	k	r	d ₁	l ₁	Nr./No.
20	7	0,8	13	100	Z 40/13 x 100
				125	125
				160	160
				200	200
				250	250
				315	315
22	7	0,8	14	100	Z 40/14 x 100
				125	125
				160	160
				200	200
				250	250
				315	315
				400	400
500	500				
22	7	0,8	14,5	100	Z 40/14,5 x 100
				125	125
				160	160
				200	200
				250	250
				315	315
22	7	0,8	16	100	Z 40/16 x 100
				125	125
				160	160
				200	200
				250	250
				315	315
				400	400
500	500				
26	8	1	20	80	Z 40/20 x 80
				100	100
				125	125
				160	160
				200	200
				250	250
				315	315
				400	400
				500	500

d ₂	k	r	d ₁	l ₁	Nr./No.
32	10	1	25	80	Z 40/25 x 80
				100	100
				125	125
				160	160
				200	200
				250	250
315	315				

This is trial version
www.adultpdf.com