

# Z-Standards

## Contents (Alphabetical order, terms partly according to DIN 16750)

All dimensions shown in this catalogue are specified in "mm", given tolerances refer to an ambient temperature of 20°C

	Prod.-No.	Page		Prod.-No.	Page
<b>A</b>			<b>C</b>		
<b>Auxiliary equipment</b>			<b>Clamping items</b>		
- Extraction tool kit	A 5000/1	6.30	- Clamp system	Z 75	1.107
- Box spanner (Z 92/...)	A 5130	6.35	- T-head bolt	Z 751	1.108
- Hexagon key	A 5050	6.30	- Quick-action clamping jig	Z 76	1.113
	A 5051	6.31	- Clamping plate for Z 76/...	Z 761	1.113
	A 5053	6.31	- Clamping bolt for Z 76/...	Z 762	1.114
Hexagon key	A 5055	6.32	- Eccentric bolt for Z 76/...	Z 763	1.114
- Hexagon key set	A 5060	6.32	- Power clamp	Z 741 (V 2510)	1.104
- Hexagon key set	A 5061	6.33		Z 742 (V 2512)	1.106
- Slotted nut driver	A 5080	6.33		Z 743 (V 2514)	1.106
- Pin wrench	A 5121	6.34	- Spacer block	Z 7411 (V 2516)	1.104
- Hook wrench (Z 1685/...)	A 5120	6.34		Z 7412 (V 2518)	1.105
- Gauge shim stock	Z 257/1	6.6	- Clamping fixture	V 6800	6.42
- Inspection torch	Z 250	6.5		V 6805	6.43
- Inspection pin holder	Z 256	6.6	- Clamping tool set	V 6820	6.44
- Inspection pin set	Z 255	6.5		V 6822	6.45
- Assembly set for electrical installations	Z 116	4.8	- Clamping device	V 6850	6.46
Mounting pliers for circlip Z 67	Z 671	6.1	- Positioning fixture	V 6855	6.46
Mounting pliers for circlip Z 68	Z 681	6.1			
Shim stock	Z 257/5	6.7	<b>Cables and accessories</b>		
Crimping tool for hose assembly	Z 865	6.2	- Cable end sleeve	Z 1166	4.10
			- Connection housing	Z 1227	4.17
				Z 1228	4.18
			- Plug insert for Z 1227/... + Z 1228	Z 1229	4.18
			- Extension cable for cartridge heaters + heated nozzles	Z 1161	4.8
			- Compensating line for thermocouples	Z 1168	4.11
			- Power/signal cable	Z 1225	4.16
			- Power/signal adapter	Z 1226	4.16
			- Protective earth line	Z 1167	4.10
			- Assembly set	Z 116	4.8
			- Butt joint	Z 1165	4.9
			<b>Control units and accessories</b>		
			- Infrared control unit	Z 145	4.39
			- Infrared transmitter, 90° design	Z 1451	4.40
			- Infrared receiver, 90° design	Z 1452	4.40
			- Infrared transmitter, straight	Z 1453	4.41
			- Infrared receiver, straight	Z 1454	4.41
			- Wiring box	Z 1457	4.42
			- Microprocessor control unit	Z 122/1/1	4.12
				Z 122/1/2	4.12
				Z 122/1/4	4.13
				Z 122/1/6	4.13
				Z 122/1/9	4.14
			<b>Cooling connectors and accessories</b>		
			<b>Open-flow couplings</b>		
			Connectors, threaded		
			- Coupling, quick release	Z 808	5.7
			Connectors, crimped		
			- Coupling, quick release	Z 801	5.3
				Z 801/.../45	5.4
				Z 801/.../90	5.4
<b>B</b>			<b>Bearings</b>		
- Taper roller bearing	Z 1560	2.65			
- Needle-thrust ball bearing	Z 1564	2.66			
- Grooved ball bearing	Z 1562	2.66			
- Needle-thrust roller bearing	Z 1566	2.67			
- Thrust ring	Z 1565	2.67			
<b>C</b>			<b>Cartridge heaters/Heater bands</b>		
- Cylindrical	Z 110	4.1			
- Tapered	Z 111	4.6			
- Heater band	Z 1133	4.7			
- Heater band with integrated thermocouple	Z 1134	4.7			
<b>Chemical working substances</b>					
- Heavy-duty lubricant	Z 260	6.8			
- Heavy-duty lubricant spray	Z 261	6.8			
- Surface protection	Z 269	6.11			
- Rust solvent	Z 267	6.10			
- Silicone-spray	Z 264	6.9			
- Special assembly spray	Z 266	6.10			
- Teflon-lubricating spray	Z 268	6.10			
- Release agent	Z 265	6.9			
- Multi-purpose corrosion preventative	Z 262	6.8			
- Multi-purpose cleaner spray	Z 263	6.9			

	Prod.-No.	Page		Prod.-No.	Page
<b>C</b>			<b>D</b>		
<b>Couplings with shut-off valve</b>			<b>Date- and recycling inserts</b>		
Connectors, threaded			- Date insert	Z 48	1.70
- Shut-off coupling	Z 82	5.12	- Arrow-year insert	Z 481	1.70
	Z 807	5.6	- Month-date insert	Z 482	1.71
	Z 807/.../45	5.6	- Year-date insert	Z 483	1.71
	Z 807/.../90	5.7	- Arrow insert	Z 484	1.72
Connectors, crimped			- Date insert	Z 485	1.72
- Shut-off coupling	Z 80	5.2	- Arrow-year insert	Z 4851	1.73
	Z 80/.../45	5.2	- Resin-marking insert	Z 4861/ 1	1.73
	Z 80/.../90	5.3	- Shift-marking insert	Z 4861/2	1.74
<b>Cooling elements, various</b>			- Day-marking insert	Z 4861/3	1.74
Cooling cores			- Month-marking insert	Z 4861/4	1.75
- Spiral core, single threaded	Z 96	5.29	- Year-marking insert	Z 4861/5	1.76
double threaded	Z 961	5.30	- Universal counter	A 5716	6.39
- Diverting element	Z 964	5.31	- Insulating frame	A 5723	6.41
- Plug baffle	Z 965	5.31			
- Baffle core	Z 967	5.32	<b>Date- and recycling inserts</b>		
<b>Cooling elements, various</b>			- Multiple marking inserts, 3-fold	Z 4863	1.76
- Junction tube	Z 962	5.30	- Multiple marking inserts, 4-fold	Z 4864	1.78
- Heat transfer pipe	Z 97	5.33	- Recycling insert	Z 487/ 1	1.77
Diverting couplings, tubes				Z 487/2	1.78
- Diverting coupling unit	Z 805	5.5		Z 487/3	1.79
	Z 8051	5.5	- CE-marking insert	Z 488	1.80
- Connector	Z 878	5.21	- Food-marking insert	Z 489	1.80
- Cooling tube	Z 95	5.29	Distance bolt for Z 70/...	Z 701	1.100
Heat transfer cartridge	Z 975	5.34			
Thermocouples	Z 1295	5.20			
- Coupling nipple for Z 1295/3	Z 1296	5.21	<b>E</b>		
- Fastening nipple for 1 295/5	Z 1297	5.21	<b>EDM-material</b>		
Core pin	Z 49	1.81	- EDM-copper		
<b>Counter bore</b>			rectangular square cross section	A 3500	6.17
- Circular groove cutter,			square cross section	A 3501	6.20
suitable for O-rings	A 2710	6.15	round cross section	A 3502	6.21
- Guide spigot, matches with			tube type	A 3503	6.22
circular groove cutter A 2710	A 2715	6.16	- EDM-graphite		
Coupling, multi-polar design	Z 128	4.19	rectangular square cross section	A 3510	6.23
<b>Crimping elements</b>			round cross section	A 3514	6.24
Hose clip	Z 86	5.17	Recycling marking electrode	A 3515	6.25
Crimping sleeve	Z 861	5.17		A 3511	6.23
Crimping tool	Z 865	5.18		A 3541	6.26
<b>Cycle counters</b>				A 3542	6.26
- Cycle counter	A 5710	6.36		A 3543	6.27
- Cycle counter, resetable	A 5712	6.37	- Start hole electrode	A 3504	6.22
- Combined cycle counter	A 5714	6.38	- CE-marking electrode	A 3545	6.27
- Resetting tool	A 5720	6.40	- Food-marking electrode	A 3546	6.28
- Insulation frame	A 5722	6.40	- Recycling marking electrode	A 3547	6.28
			<b>Ejector coupling devices</b>		
			- Pneumatic	Z 159	2.68
			- Rapid coupling	Z 168	2.72

	Prod.-No.	Page		Prod.-No.	Page
<b>E</b>			<b>F</b>		
<b>Ejector pins</b>	Z 40	2.4	<b>Filter cartridge</b>	Z 109	3.118
- Cylindrical head, hardened and nitrided	Z 41	2.9	Free connector	Z 1095	3.118
- Conical head, hardened	Z 42	2.14		Z 1281	4.19
- Conical head, nitrided	Z 43	2.17			
- Shouldered, cylindrical head, nitrided	Z 44	2.18	<b>G</b>		
- Shouldered, cylindrical head, hardened	Z 441	2.19	<b>Grinding wheels</b>		
- Cylindrical head, custom designed, hardened	Z 442/.../S	2.20	- Truing diamond	A 1255	6.11
- Flat ejector pin, nitrided	Z 46	2.48	- Dressing stone	A 1265	6.11
- Flat ejector pin, hardened	Z 465	2.50	cup wheels		
- Special flat ejector pin, hardened	Z 461	2.59	- Special-grinding wheel	A 1915	6.12
- Flat ejector pin, custom designed, hardened	Z 466	2.51	- Diamond grinding wheel	A 1935	6.13
- Extension rod	Z 47	2.53	- Boron nitride grinding wheel	A 1936	6.13
			cutting wheels		
<b>Ejector sleeves</b>			- Cutting wheel	A 1910	6.12
- Ejector sleeve, nitrided	Z 45	2.22	- Diamond cutting wheel	A 1930	6.12
- Ejector sleeve, hardened	Z 451	2.25	- Boron nitride cutting wheel	A 1931	6.13
- Ejector sleeve, hard. and nitr. nitrided	Z 4500	2.29			
- Ejector sleeve, hardened	Z 4501	2.33	<b>Guide bushings</b>		
- Ejector sleeve, custom designed, nitrided	Z 4510	2.37	- Locating guide bush, headed	Z 10	1.34
- Ejector sleeve, nitrided	Z 452/.../S	2.42	- Guide bush, headed	Z 11	1.38
- Ejector sleeve, nitrided	Z 453/.../S	2.43	- Locating guide bush, headed, self-lubricating	Z 10W	1.36
- Ejector sleeve, shouldered, nitr.	Z 454/.../S	2.44	- Guide bush, headed, self-lubric.	Z 11W	1.41
- Ejector sleeve, shouldered, hard.	Z 4500	2.29	- Ball guide bush	Z 12	1.43
- Ejector sleeve, hard. and nitr.	Z 4500/.../S	2.32	- Guide bush, headed, self-lubric., used for ejector assemblies	Z 13W	1.43
- Ejector sleeve, nitrided	Z 4501/.../S	2.36			
- Ejector sleeve, hardened	Z 4510	2.37	<b>Guide pillars</b>		
<b>Ejectors, demoulding components</b>			- Locating guide pillar, shouldered	Z 00	1.1
- Ejector rod	Z 02	2.1	- Guide pillar, shouldered	Z 03	1.20
- Coupling spigot for Z 159/...	Z 1591	2.69	- Guide pillar (Angle pin)	Z 01	1.9
- Ejector/ coupling rod for Z 159	Z 1592	2.69	- Guide pillar	Z 011	1.11
- Pressure sleeve	Z 163	2.70	- With two fits	Z 012	1.12
- Bush	Z 164	2.70	- Guide pillar, headed	Z 013	1.12
- Guided ejector pull back device	Z 165	2.71	- Guide sleeve	Z 022	1.19
- Ejector rod for Z 165/...	Z 166	2.71			
- Flange for Z 165 and Z 169	Z 167	2.72	<b>Guide rails</b>		
- Ejector/coupling rod for Z 168	Z 1681	2.73	- Self-lubricating	Z 16W	1.44
- Ejector/coupling rod for Z 168	Z 1682	2.73	- Guide strip, steel	Z 185	2.97
- Two stage ejector	Z 169	2.74	- Guide strip, self-lubricating	Z 185W	2.97
- Two stage ejector	Z 1695	2.75	- Self-lubricating, for slides	Z 186W	1.47
- Adapter for Z 1695/...	Z 1696	2.76	- Self-lubricating, for racks	Z 15W	1.44
- Frictional puller	Z 172	2.81	- Square guide bar	Z 07	1.45
- Wear sleeve	Z 456	2.46	- Guide retainer	Z 17	1.46
- Air valve	Z 491	2.53			
- Blow off strip	Z 495	2.54	<b>Guiding components</b>		
- Blow off nozzle	Z 4951	2.54	Screwing/unscrewing system		
			- Guide pillar	Z 014	1.13
				Z 015	1.15
			- End piece	Z 0141	1.14
			- Locating end piece	Z 0142	1.14
			- Pillar adapter	Z 0151	1.16
				Z 0152	1.17

	Prod.-No.	Page		Prod.-No.	Page
<b>H</b>			<b>M</b>		
<b>Hot runner equipment</b>			<b>Machining tools</b>		
– Hot-runner manifold blocks	Z 106/1	3.66	<b>Drills</b>		
	Z 10600/1	3.62	– Tapered drill, conical, for cartridges	A 2500	6.14
	Z 106/2	3.82	– Tap-set	A 2800	6.16
	Z 106/3	3.98			
– Sealing washer	Z 1062	3.110	<b>Reamers</b>		
– Distance disc	Z 1052/3	3.57	– Tapered reamer, conical, for cartridges	A 2600	6.14
	Z 1052/4	3.57			
– Reflector sheet for Z 106/...	Z 1064/1	3.112	<b>Counter bores</b>		
	Z 1064/2	3.113	– Counter bores for cartridges	A 2700	6.14
	Z 1064/3	3.114	– Special-counter bore for Z 491	A 2720	6.16
– Hexagon head screw for Z 106/...	Z 1063	3.111	– Circular groove cutter	A 2710	6.15
– Turn plug for Z 105/...	Z 1061	3.110	– Guide spigot	A 2715	6.16
– Accessory kit for Z 106/...	Z 1067	3.115			
<b>Hydraulic cylinder accessories</b>			<b>Mould slides</b>		
– Hydraulic locking cylinder	Z 2300	2.103	Slide	Z 180	2.91
– Flange for mounting of Z 230/...	Z 2310	2.104	Mould slide unit	Z 181	2.101
– Adapter for Z 230/...	Z 2320	2.104	Locking heel	Z 1810	2.102
– Pressure screw	Z 2330	2.105	Locking heel for Z 180	Z 182	2.92
			Wear plate for Z 182	Z 1821	2.93
			Locking heel for Z 180	Z 183	2.94
			Wear plate for Z 183	Z 1831	2.95
			Wear plate for Z 183	Z 1832	2.96
<b>L</b>			<b>Multiple couplings and accessories for automatic tool change</b>		
<b>Latch locking units and accessories</b>			– Multiple shut-off coupling	Z 809	5.8
– One-sided	Z 170	2.77	– Multiple shut-off nipple	Z 819	5.12
– Double-sided	Z 171	2.79	– Locking housing for Z 766/...	Z 765	5.1
– Round latch locking unit	Z 173	2.81	– Locking plug for Z 765/...	Z 766	5.1
– Pulling rod for Z 173/...	Z 1731	2.82			
– Threaded bush for Z 1731	Z 1732	2.82	<b>Open flow nipples</b>		
– Latch locking unit	Z 174	2.83	Nipples with plugs		
			– Nipple	Z 81	5.8
<b>Lifting devices</b>				Z 81/.../90	5.9
Lifting eye bolt	Z 71	1.101	– Extension nipple	Z 90	5.23
Lifting eye bolt, high strength	Z 711	1.101	Nipples with crimps		
Safety-eye bolt	Z 72	1.102	– Hose nipple	Z 87	5.18
Eye nut, DIN 582	Z 712	1.102		Z 88	5.22
				Z 89	5.22
<b>Limit switch</b>			– Extension tube	Z 91	5.24
– Connection cable for Z 140/...	Z 140	4.37			
	Z 1401	4.38	<b>Nipple with shut-off valve</b>		
	Z 1402	4.38	Nipples with plugs		
– Tester for Z 140	Z 141	4.39	– Shut-off nipple	Z 811	5.9
<b>Locating units</b>			<b>Special fittings</b>		
– Locating unit, round	Z 05	1.27	– Double sided connector	Z 812	5.10
– Locating unit, flat	Z 06	1.29	– Adapter	Z 815	5.11
– Locating ring for fixed mould half	K 100	1.122	– Joining piece	Z 877	5.21
	K 103	1.123	– Adapter	Z 905	5.23
– Loc. ring for movable mould half	K 500	1.124	– Extension tube	Z 906	5.24
	K 503	1.125			
– Locating ring, straight	K 505	1.126	<b>Pneumatic connectors</b>		
– Centering sleeve	Z 20	1.48	– Hose nipple	Z 817	5.11
– Dowel pins	Z 25	1.49	– Plug-in connector	Z 831	5.13
	Z 26	1.50			
Lubro-control unit	Z 2411	4.47			
	Z 2412	4.47			

03.02.13 15 222227

	Prod.-No.	Page		Prod.-No.	Page
<b>M</b>			<b>N</b>		
<b>Seals and accessories</b>			<b>Heated nozzles, multiple probe</b>		
- Hexagon socket pipe plug	Z94	5.25	- for pin-point gating	Z101 M/2	3.35
	Z941	5.26		Z101 M/4	3.36
- Sealing plug	Z942	5.26		Z103 M/2	3.37
- Assembly set	Z945/1	5.27		Z103 M/4	3.38
	Z945/2	5.27	- straight, 2-fold probe	Z10420/2	3.44
- Scale tube	Z947/1	5.28		Z10320/2	3.47
	Z947/2	5.28		Z10420/4	3.45
- Sealing tape	Z93	5.25		Z10320/4	3.48
- O-ring	Z98	5.35		Z10420/6	3.46
- Diverting element	Z964	5.31		Z10320/6	3.49
			- side gating, 2-fold probe	Z10370/2	3.50
<b>Hoses and accessories</b>				Z10370/4	3.51
- Plastic-hose	Z84	5.14		Z10370/6	3.52
	Z85	5.14		Z3310	3.41
	Z851	5.15	- Universal nozzle	Z3340	3.42
- Rubber hose	Z853	5.15		Z3360	3.43
- Teflon hose	Z854	5.16			
- Corrugated metal hose	Z855	5.16	<b>Inner part of nozzle</b>		
- Hose nipples	Z875	5.19	- For Z101/...; Z101G/...; Z101R/...	Z1011	3.32
	Z876	5.19	- For Z104/...; Z104G/...; Z104R/...	Z1041	3.32
	Z876/.../45	5.20	- For Z104GE	Z1041E	3.33
	Z876/.../90	5.20	- For Z104GV	Z1041V	3.33
			- For Z103/...; Z103G/...; Z103R/...	Z1031	3.34
			- For Z103T/...; Z103GT/...;		
			Z103RT/...	Z1031T	3.34
			- For Z101M/2/...	Z1011M/2	3.39
			- For Z101M/4/...	Z1011M/4	3.39
			- For Z103M/2/...	Z1031M/2	3.40
			- For Z103M/4/...	Z1031M/4	3.40
			- Pneumatic nozzle	Z515	3.8
			- Nozzle insert	Z516	3.9
			- Hexagon nut	Z281 (V5410)	1.51
			- Collar nut	Z282 (V5420)	1.51
			- Nut for T-slots	Z285 (V5310)	1.52
				Z286 (V5325)	1.52
<b>N</b>			<b>O</b>		
<b>Needle valves and accessories</b>			<b>O-rings</b>		
- Pneumatic needle valve	Z107/1	3.54	- Metal	Z1015	3.56
	Z107/2	3.55	- Viton®	Z98	5.35
- Needle guide sleeve	Z1073	3.55			
- Valve needle for Z107	Z1001	3.53			
- Needle guide sleeve	Z1072	3.54			
- Distance ring	Z1076	3.56			
<b>Nozzles</b>					
Heated nozzle	Z200/...	3.25			
<b>Heated nozzles</b>					
- for processing of thermoplastics	Z101	3.12			
- for Z107/...	Z103	3.13			
- for gating onto subrunner	Z103T	3.14			
- for special applications	Z104	3.15			
- tiny pin point marking due	Z104E	3.16			
- for pin-point gating	Z101G	3.19			
	Z104G	3.20			
	Z104GE	3.21			
	Z104GV	3.22			
	Z103G	3.23			
<b>Heated nozzles</b>					
- for special applications	Z103GT	3.24			
- nozzle tip individually shaped	Z101R	3.28			
	Z104R	3.29			
	Z103R	3.30			
	Z103RT	3.31			
- tall design	Z205	3.17			
	Z206	3.18			
	Z207	3.26			
	Z208	3.27			

	Prod.-No.	Page		Prod.-No.	Page
<b>P</b>			<b>S</b>		
Pneumatic control unit	Z 240	4.46	<b>Screws and accessories</b>		
Pocket temperature measuring device	Z 252	4.50	– Hexagon socket head cap screw, DIN 912	Z 30	1.53
<b>Pressure measuring devices and accessories</b>			– Hexagon socket head cap screw, DIN 912	Z 31	1.55
– Pressure transducer	Z 1370	4.27	– Hexagon socket head cap screw, DIN 7984	Z 32	1.59
– Measuring tongue	Z 1371	4.27	– Countersunk socket head screw, DIN 7991	Z 33	1.60
	Z 1372	4.28	– Shoulder screw	Z 38	1.68
– Force transducer	Z 1373	4.28	– Slotted pan head screw, DIN EN ISO 1580	Z 39	1.69
– Connection cable	Z 1381	4.29	– Threaded stud	Z 352 (V5520)	1.62
	Z 1382	4.29	– Shoulder screw	Z 381 (V5128)	1.69
– Connection cable	Z 1383	4.30	Hexagon socket set screw, DIN 915	Z 34	1.60
– Charge amplifier	Z 1384 / 1	4.30	DIN 913	Z 35	1.61
– Data converter	Z 1385 / 2	4.31	DIN 913	Z 36	1.63
– Connection cable	Z 1387	4.32	Hexagon nut, DIN 934	Z 28	1.50
– Dummy	Z 1391	4.32	T-head bolt	Z 752 (V5505)	1.109
– Bracket	Z 1392	4.33		Z 7521 (V5510)	1.110
– Dummy	Z 1393	4.33		Z 7522 (V5511)	1.111
– Bracket	Z 1394	4.34	<b>Slides mechanism</b>		
– Retaining plate	Z 1395	4.34	– Mounting block	Z 1755	2.87
– Spacer tube	Z 1396	4.35	– Spacer block for Z 1754 and Z 1755	Z 1756	2.88
– Mounting nut	Z 1397	4.35	– Guide block	Z 1754	2.87
– Tubular wrench	Z 1398	4.36	– Guide block	Z 1764	2.89
– Insertion tool	Z 1399	4.36	– Rack	Z 1751	2.85
				Z 1752	2.86
				Z 1761	2.89
<b>R</b>			<b>Spring plungers</b>		
<b>Retaining rings and accessories</b>			– with slotted head	Z 36	1.63
– Internal circlip, DIN 471	Z 67	1.95	– with slotted head	Z 361	1.63
– External circlip, DIN 472	Z 68	1.97	– slotted	Z 37	1.64
– Spring washer	Z 69	1.99	– slotted with stud	Z 370	1.64
– Locking edge washer, DIN 17221	Z 691	1.99	– slotted	Z 371	1.65
– Mounting pliers	Z 671	6.1	– with hexagon socket	Z 372	1.65
– Mounting pliers	Z 681	6.1	– with hexagon socket and plastics stud	Z 3721	1.66
Rocker arm valve	Z 2401	4.46	– headed, straight	Z 373	1.66
			– straight	Z 374	1.67
			– straight, housing: Plastics	Z 375	1.67
			<b>Springs</b>		
			Compression spring		
			– with round cross section	Z 60	1.87
			– Compression spring, Length: 500 mm	Z 601	1.89
			– with square cross section	Z 64	1.94
			– with elongated cross section	Z 65	1.94
			– Disc spring, DIN 2093	Z 62	1.90

	Prod.-No.	Page		Prod.-No.	Page
<b>S</b>			<b>W</b>		
<b>Sprue bushings</b>			<b>Washers</b>		
- Blank	Z50	3.2	- Distance disc	Z055	1.28
- Conventional	Z51	3.2	- Seating washer	Z55	1.82
	Z511	3.4	- Stop disc	Z056	1.29
	Z512	3.6		Z56	2.3
- Thermoset sprue bushing for thermosetting plastics	Z518	3.9	- Washer	Z561	2.3
- Thermoset sprue bushing for thermosetting plastics	Z519	3.10	- Spherical washer	Z562 (V5250)	1.84
- For hot-runner manifolds	Z1055/1	3.58	- Conical seat washer	Z753 (V5210)	1.111
	Z1055/2	3.58		Z754 (V5220)	1.112
	Z1055/3	3.59		Z755 (V5230)	1.112
	Z1055/4	3.59			
Sprue puller insert	Z53	3.10			
<b>Support pillars</b>					
- with thread and dowel hole	Z57	1.85			
- with clearance hole	Z571	1.86			
<b>T</b>					
Temperature feeler, used with Z251/...	Z2511	4.49			
	Z2512	4.49			
	Z2515	4.50			
Temperature measuring device	Z251/2	4.49			
Thermal insulating sheet	Z121	1.115			
	Z1211	1.120			
Tool safety device	Z73	1.103			
<b>U</b>					
<b>Unscrewing components</b>					
- Helical spindle	Z1500	2.56			
- Helical nut	Z1520	2.58			
- Rack	Z1540	2.60			
- Threaded core blank	Z1550	2.61			
- Pilot thread bushing, blank	Z1552	2.62			
- Gear wheel	Z1553	2.63			
- Intermediate gear wheel	Z1555	2.64			
- Parallel key	Z1558	2.65			

# Z-Standards

## Contents (Listing according to Product No.)

Prod.-No.	Designation	Page	Prod.-No.	Designation	Page
Z00	Locating guide pillar	1.1	Z375	Spring plunger	1.67
Z01	Guide pillar (Angle pin)	1.9	Z38	Shoulder screw	1.68
Z011	Guide pillar	1.11	Z381 (V5128)	Shoulder screw	1.69
Z012	Guide pillar	1.12	Z39	Flat head screw	1.69
Z013	Guide pillar	1.12			
Z014	Guide pillar	1.13	Z40	Ejector pin	2.4
Z0141	End piece	1.14	Z41	Ejector pin	2.9
Z0142	End piece	1.14	Z42	Ejector pin	2.14
Z015	Guide pillar	1.15	Z43	Ejector pin	2.17
Z0151	Pillar adapter	1.16	Z44	Ejector pin	2.18
Z0152	Pillar adapter	1.17	Z441	Ejector pin	2.19
Z02	Ejector rod	2.1	Z442/.../S	Shouldered ejector pin	2.20
Z022	Guide sleeve	1.19	Z45	Ejector sleeve	2.22
Z03	Guide pillar	1.20	Z451	Ejector sleeve	2.25
Z05	Locating unit	1.27	Z4500	Ejector sleeve	2.29
Z055	Spacer	1.28	Z4500/.../S	Ejector sleeve	2.32
Z056	Disc	1.29	Z4501	Ejector sleeve	2.33
Z06	Locating unit	1.29	Z4501/.../S	Ejector sleeve	2.36
Z07	Square guide bar	1.45	Z4510	Ejector sleeve	2.37
Z08	Pre-centering unit	1.30	Z4510/.../S	Ejector sleeve	2.41
Z081	Distance ring	1.31	Z452/.../S	Ejector sleeve	2.42
Z091	Square interlock	1.32	Z453/.../S	Ejector sleeve	2.43
Z092	Square interlock	1.33	Z454/.../S	Ejector sleeve	2.44
Z093	Square interlock	1.33	Z455/.../S	Ejector sleeve	2.45
			Z456	Wear sleeve	2.46
Z10	Locating guide bush	1.34	Z456/.../S	Wear sleeve	2.47
Z10W	Locating guide bush	1.36	Z46	Flat ejector pin	2.48
Z11	Guide bush	1.38	Z461	Special flat ejector	2.49
Z11W	Guide bush	1.41	Z462	Guide	2.49
Z12	Ball guide bush	1.43	Z465	Flat ejector pin	2.50
Z13W	Guide bush	1.43	Z466/.../S	Flat ejector pin	2.51
Z15W	Flat stock	1.44	Z47	Extension rod	2.53
Z16W	Guide rail	1.44	Z48	Date insert	1.70
Z17	Guide retainer	1.46	Z481	Arrow-year insert	1.70
Z186W	Guide rail	1.47	Z482	Month-date insert	1.71
			Z483	Year-date insert	1.71
Z20	Centering sleeve	1.48	Z484	Arrow insert	1.72
Z25	Dowel pin	1.49	Z485	Date insert	1.72
Z26	Dowel pin	1.50	Z4851	Arrow-year insert	1.73
Z28	Hexagon nut	1.50	Z4861/1	Resin-marking insert	1.73
Z281 (V5410)	Hexagon nut	1.51	Z4861/2	Shift-marking insert	1.74
Z282 (V5420)	Collar nut	1.51	Z4861/3	Day-marking insert	1.74
Z285 (V5310)	Nut for T-slots	1.52	Z4861/4	Month-marking insert	1.75
Z286 (V5325)	Nut for T-slots	1.52	Z4861/5	Year-marking insert	1.75
			Z4863	Multiple marking insert, 3-fold	1.76
Z30	Socket head cap screw	1.53	Z4864	Multiple marking insert, 4-fold	1.76
Z31	Socket head cap screw	1.55	Z487/1	Recycling insert	1.77
Z32	Socket head cap screw	1.59	Z487/2	Recycling insert	1.78
Z33	Countersunk socket head screw	1.60	Z487/3	Recycling insert	1.79
Z34	Hexagon socket set screw	1.60	Z488	CE-marking insert	1.80
Z35	Hexagon socket set screw	1.61	Z489	Food-marking insert	1.80
Z351	Hexagon socket set screw	1.61	Z49	Core pin	1.81
Z352 (V5520)	Threaded stud	1.62	Z491	Air valve	2.53
Z36	Spring plunger	1.63	Z495	Blow of strip	2.54
Z361	Spring plunger	1.63	Z4951	Blow of nozzle	2.54
Z37	Spring plunger	1.64			
Z370	Spring plunger	1.64	Z50	Sprue bushing	3.2
Z371	Spring plunger	1.65	Z51	Sprue bushing	3.2
Z372	Spring plunger	1.65	Z511	Sprue bushing	3.4
Z3721	Spring plunger	1.66	Z512	Sprue bushing	3.6
Z373	Spring plunger	1.66	Z515	Pneumatic nozzle	3.8
Z374	Spring plunger	1.67	Z516	Nozzle insert	3.9

03 02 1 3 15 222227



Prod.-No.	Designation	Page	Prod.-No.	Designation	Page
Z518	Sprue bushing	3.9	Z808	Coupling	5.7
Z519	Thermoset-sprue bushing	3.10	Z809	Multiple shut-off coupling	5.8
Z53	Sprue puller insert	3.10	Z81	Nipple	5.8
Z55	Seating washer	1.82	Z81../90	Nipple	5.9
Z551	Stop pin	1.82	Z811	Shut-off nipple	5.9
Z56	Stop disc	1.83	Z812	Double sided connector	5.10
Z561	Washer	1.83	Z814	Adapter	5.10
Z562 (V5250)	Washer	1.84	Z815	Adapter	5.11
Z57	Support pillar	1.85	Z817	Hose nipple	5.11
Z571	Support pillar	1.86	Z819	Multiple shut-off nipple	5.12
			Z82	Shut-off coupling	5.12
Z60	Compression spring	1.87	Z83	Plug-in connector	5.13
Z601	Compression spring	1.89	Z831	Plug-in connector	5.13
Z62	Disc spring	1.90	Z84	Plastic-Hose	5.14
Z64	Compression spring	1.94	Z85	Plastic-Hose	5.14
Z65	Compression spring	1.94	Z851	Plastic-Hose	5.15
Z67	External circlip	1.95	Z853	Rubber-Hose	5.15
Z671	Mounting pliers	6.1	Z854	Teflon hose	5.16
Z68	Internal circlip	1.97	Z855	Corrugated metal hose	5.16
Z681	Mounting pliers	6.1	Z86	Hose clip	5.17
Z69	Spring washer	1.99	Z861	Crimping sleeve	5.17
Z691	Locking edge washer	1.99	Z865	Crimping tool	5.18
			Z87	Hose nipple	5.18
Z70	Lifting device	1.100	Z875	Hose nipple	5.19
Z701	Distance bolt	1.100	Z876	Hose nipple	5.19
Z71	Lifting eye bolt	1.101	Z876../45	Hose nipple	5.20
Z711	Lifting eye bolt	1.101	Z876../90	Hose nipple	5.20
Z712	Eye nut	1.102	Z877	Joining piece	5.21
Z72	Safety eye bolt	1.102	Z878	Connector	5.21
Z73	Tool safety device	1.103	Z88	Hose nipple	5.22
Z741 (V2510)	Power clamp	1.104	Z89	Hose nipple	5.22
Z7411 (V2516)	Spacer block	1.104			
Z7412 (V2518)	Spacer block	1.105	Z90	Extension nipple	5.23
Z742 (V2512)	Power clamp	1.106	Z905	Adapter	5.23
Z743 (V2514)	Power clamp	1.106	Z906	Extension tube	5.24
Z75 / Typ	Clamp	1.107	Z91	Extension tube	5.24
Z75	Clamp system	1.107	Z93	Sealing tape	5.25
Z751	T-head bolt	1.108	Z94	Hexagon socket pipe plug	5.25
Z752 (V5505)	T-head bolt	1.109	Z941	Hexagon socket pipe plug	5.26
Z7521 (V5510)	T-head bolt	1.110	Z942	Sealing plug	5.26
Z7522 (V5511)	T-head bolt	1.111	Z945/1	Assembly-Set	5.27
Z753 (V5210)	Spherical washer	1.111	Z945/2	Assembly-Set	5.27
Z754 (V5220)	Conical seat washer	1.112	Z947/1	Mounting bar	5.28
Z755 (V5230)	Conical seat washer	1.112	Z947/2	Mounting bar	5.28
Z76	Quick action clamping jig	1.113	Z95	Cooling tube	5.29
Z761	Clamping plate	1.113	Z96	Spiral core	5.29
Z762	Clamping bolt	1.114	Z961	Spiral core	5.30
Z763	Eccentric bolt	1.114	Z962	Junction tube	5.30
Z765	Locking housing	5.1	Z964	Diverting element	5.31
Z766	Locking plug	5.1	Z965	Plug baffle	5.31
			Z967	Baffle core	5.32
Z80	Shut-off coupling	5.2	Z968	Spirale core	5.32
Z80../45	Shut-off coupling	5.2	Z969	Spirale core	5.33
Z80../90	Shut-off coupling	5.3	Z97	Cascade water junction	5.33
Z801	Coupling	5.3	Z975	Heat pipe	5.34
Z801../45	Coupling	5.4	Z98	O-Ring	5.35
Z801../90	Coupling	5.4			
Z805	Diverting coupling unit	5.5	Z1001	Valve needle	3.53
Z8051	Diverting coupling unit	5.5	Z101	Heated nozzle	3.12
Z807	Shut-off coupling	5.6	Z101 G	Heated nozzle	3.19
Z807../45	Shut-off coupling	5.6	Z101 R	Heated nozzle	3.28
Z807../90	Shut-off coupling	5.7	Z101 M/2	Heated nozzle	3.35

This is trial version  
www.adultpdf.com

Prod.-No.	Designation	Page	Prod.-No.	Designation	Page
Z 101 M/4	Heated nozzle	3.36	Z 1133	Heater band	4.7
Z 1011	Inner part of nozzle	3.32	Z 1134	Heater band	4.7
Z 1011 M/2	Inner part of nozzle	3.39	Z 116	Assembly set	4.8
Z 1011 M/4	Inner part of nozzle	3.39	Z 1161	Extension cable	4.8
Z 1015	Metal O-Ring	3.56	Z 1162	Crimp type bracket	4.9
Z 103	Heated nozzle	3.13	Z 1164	Extension cable	3.119
Z 103 RT	Heated nozzle	3.31	Z 1165	Butt joint	4.9
Z 103 G	Heated nozzle	3.23	Z 1166	Cable end sleeve	4.10
Z 103 R	Heated nozzle	3.30	Z 1167	Protective earth line	4.10
Z 103 T	Heated nozzle	3.14	Z 1168	Compensating line	4.11
Z 103 GT	Heated nozzle	3.24			
Z 103 M/2/	Heated nozzle	3.37	Z 121	Thermal insulating sheet	1.115
Z 103 M/4/	Heated nozzle	3.38	Z 1211	Thermal insulating sheet	1.120
Z 1031	Inner part of nozzle	3.34	Z 122/1/1	Microprocessor control unit	4.12
Z 1031 T	Inner part of nozzle	3.34	Z 122/1/2	Microprocessor control unit	4.12
Z 10320/2	Heated nozzle	3.47	Z 122/1/4	Microprocessor control unit	4.13
Z 10320/4	Heated nozzle	3.48	Z 122/1/6	Microprocessor control unit	4.13
Z 10320/6	Heated nozzle	3.49	Z 122/1/9	Microprocessor control unit	4.14
Z 10370/2	Heated nozzle	3.50	Z 1224	Socket insert	4.15
Z 10370/4	Heated nozzle	3.51	Z 1225	Connection power/signal cable	4.16
Z 10370/6	Heated nozzle	3.52	Z 1226	Power/signal adapter	4.16
Z 1031 M/2	Inner part of nozzle	3.40	Z 1227	Connection housing	4.17
Z 1031 M/4	Inner part of nozzle	3.40	Z 1228	Connection housing	4.18
Z 104	Heated nozzle	3.15	Z 1229	Plug insert	4.18
Z 104 E	Heated nozzle	3.16	Z 128	Coupling	4.19
Z 104 G	Heated nozzle	3.20	Z 1281	Free connector	4.19
Z 104 GE	Heated nozzle	3.21	Z 1295/1	Thermocouple	4.20
Z 104 GV	Heated nozzle	3.22	Z 1295/3	Thermocouple	4.20
Z 104 R	Heated nozzle	3.29	Z 1295/5	Thermocouple	4.21
Z 1041	Inner part of nozzle	3.32	Z 1296	Coupling nipple	4.21
Z 1041 E	Inner part of nozzle	3.33	Z 1297	Fastening nipple	4.21
Z 1041 V	Inner part of nozzle	3.33			
Z 10420/2	Heated nozzle	3.44	Z 131/1	Wiring box	4.22
Z 10420/4	Heated nozzle	3.45	Z 131/2	Wiring box	4.24
Z 10420/6	Heated nozzle	3.46	Z 131/4	Wiring box	4.25
Z 1052/3	Spacer disc	3.57	Z 1312	Thermal insulating sheet	4.26
Z 1052/4	Spacer disc	3.57	Z 1370	Pressure transducer	4.27
Z 1055/1	Distributor bushing	3.58	Z 1371	Measuring tongue	4.27
Z 1055/2	Distributor bushing	3.58	Z 1372	Measuring tongue	4.28
Z 1055/3	Distributor bushing	3.59	Z 1373	Force transducer	4.28
Z 1055/4	Distributor bushing	3.59	Z 1381	Connection cable	4.29
Z 106/1	Hot-runner manifold block	3.66	Z 1382	Connection cable	4.29
Z 10600/1	Hot-runner manifold block	3.62	Z 1383	Connection cable	4.30
Z 106/2	Hot-runner manifold block	3.82	Z 1384/1	Charge amplifier	4.30
Z 106/3	Hot-runner manifold block	3.98	Z 1385/2	Data converter	4.31
Z 106/4	Hot-runner manifold block	3.109	Z 1387	Connection cable	4.32
Z 1061	Turn plug	3.110	Z 1391	Dummy	4.32
Z 1062	Sealing washer	3.110	Z 1392	Bracket	4.33
Z 1063	Hexagon head screw	3.111	Z 1393	Dummy	4.33
Z 1064/1	Reflector sheet	3.112	Z 1394	Bracket	4.34
Z 1064/2	Reflector sheet	3.113	Z 1395	Retaining plate	4.34
Z 1064/3	Reflector sheet	3.114	Z 1396	Spacer tube	4.35
Z 1067	Accessory kit	3.115	Z 1397	Mounting nut	4.35
Z 107/1	Pneumatic needle valve	3.54	Z 1398	Tubular wrench	4.36
Z 107/2	Pneumatic needle valve	3.55	Z 1399	Insertion tool	4.36
Z 1072	Needle guide sleeve	3.54			
Z 1073	Needle guide sleeve	3.55	Z 140	Limit switch	4.37
Z 1076	Distance ring	3.56	Z 1401	Connection cable	4.38
Z 109	Filter cartridge	3.118	Z 1402	Connection cable	4.38
Z 1095	Filter cartridge	3.118	Z 141	Testing device	4.39
Z 110	Cartridge heater	4.1	Z 145	Infrared control unit	4.39
Z 111	Cartridge heater	4.6	Z 1451	Infrared transmitter	4.40

03.02.13.15 222227

Prod.-No.	Designation	Page	Prod.-No.	Designation	Page
Z 1452	Infrared receiver	4.40	Z 1832	Wear plate	2.96
Z 1453	Infrared transmitter	4.41	Z 185	Guide strip	2.97
Z 1454	Infrared receiver	4.41	Z 185 W	Guide strip	2.98
Z 1455	Bracket	4.42	Z 186 W	Slide plate	2.99
Z 1457	Wiring box	4.42	Z 187	Retainer	2.99
Z 1458	Connection cable	4.43			
Z 1460	Thermal insulating sheet	4.43	Z 200	Heated nozzle	3.25
Z 1471	Inductive proximity switch	4.44	Z 205 (Z 102)	Heated nozzle	3.17
Z 1473	Inductive proximity switch	4.44	Z 206	Heated nozzle	3.18
Z 1475	Inductive proximity switch	4.45	Z 207	Heated nozzle	3.26
			Z 208	Heated nozzle	3.27
Z 1500	Helical spindle	2.56			
Z 1520	Helical nut	2.58	Z 2300	Positiv locking cylinder	2.103
Z 1540	Rack	2.60	Z 2310	Flange	2.104
Z 1550	Threaded core blank	2.61	Z 2320	Adapter	2.104
Z 1552	Pilot threat bushing	2.62	Z 2330	Pressure screw	2.105
Z 1553	Gear wheel	2.63			
Z 1555	Intermediate gear wheel	2.64	Z 240	Pneumatic control unit	4.46
Z 1558	Parallel key	2.65	Z 2401	Rocker arm valve	4.46
Z 1560	Taper roller bearing	2.65	Z 2411	Lubro-control unit	4.47
Z 1562	Grooved ball bearing	2.66	Z 2412	Lubro-control unit	4.47
Z 1564	Needle-thrust ball bearing	2.66	Z 2416	Silencer	4.48
Z 1565	Thrust ring	2.67			
Z 1566	Needle-thrust roller bearing	2.67	Z 250	Inspection torch	6.5
Z 159	Ejector coupling device	2.68	Z 251/2	Temperature measuring device	4.48
Z 1591	Coupling spigot	2.69	Z 2511	Temperature feeler	4.49
Z 1592	Ejector/coupling rod	2.69	Z 2512	Temperature feeler	4.49
			Z 2515	Temperature feeler	4.50
Z 163	Pressure sleeve	2.70	Z 252	Pocket temp. measuring device	4.50
Z 164	Bush	2.70	Z 255	Inspection pin set	6.5
Z 165	Guided ejector pull back device	2.71	Z 256	Inspection pin holder	6.6
Z 166	Ejector rod	2.71	Z 257/1	Gauge shim stock	6.6
Z 167	Locking flange	2.72	Z 257/5	Shim stock	6.7
Z 168	Rapid coupling	2.72			
Z 1681	Ejector/coupling rod	2.73	Z 260	Heavy duty lubricant	6.8
Z 1682	Ejector/coupling rod	2.73	Z 261	Heavy duty lubricant	6.8
Z 169	Two stage ejector	2.74	Z 262	Heavy duty lubricant	6.8
Z 1695	Two stage ejector	2.75	Z 263	Multi purpose cleaner spray	6.9
Z 1696	Adapter piece	2.76	Z 264	Silicone spray	6.9
			Z 265	Release agent	6.9
Z 170	Latch locking unit	2.77	Z 266	Special assembly spray	6.10
Z 171	Latch locking unit	2.79	Z 267	Rust solvent	6.10
Z 172	Frictional puller	2.81	Z 268	Teflon-lubricating spray	6.10
Z 173	Round latch locking device	2.81	Z 269	Surface protection	6.11
Z 1731	Pulling rod	2.82			
Z 1732	Threaded bush	2.82	Z 3310	Universal nozzle	3.41
Z 174	Latch locking device	2.83	Z 3340	Universal nozzle	3.42
Z 1751	Rack	2.85	Z 3360	Universal nozzle	3.43
Z 1752	Rack	2.86			
Z 1754	Guide block	2.87	A 1255	Trueing diamond	6.11
Z 1755	Mounting block	2.87	A 1265	Dressing stone	6.11
Z 1756	Spacer block	2.88	A 1910	Cutting wheel	6.12
Z 1761	Rack	2.89	A 1915	Special grinding wheel	6.12
Z 1764	Guide block	2.89	A 1930	Diamond cutting wheel	6.12
			A 1931	Boron nitrid cutting wheel	6.13
Z 180	Slide	2.91	A 1935	Diamond grinding wheel	6.13
Z 181	Mould slide unit	2.101	A 1936	Boron nitrid cutting wheel	6.13
Z 1810	Locking heel	2.102	A 2500	Tapered drill	6.14
Z 182	Locking heel	2.92	A 2600	Tapered reamer	6.14
Z 1821	Wear plate	2.93	A 2700	Counter bore	6.14
Z 183	Locking heel	2.94	A 2710	Circular groove cutter	6.15
Z 1831	Wear plate	2.95	A 2715	Guide spigot	6.16

Prod.-No.	Designation	Page	Prod.-No.	Designation	Page
A2720	Special counter bore	6.16			
A2800	Tap set	6.16			
A3500	EDM-copper	6.17			
A3501	EDM-copper	6.20			
A3502	EDM-copper	6.21			
A3503	EDM-copper	6.22			
A3504	Start hole electrode	6.22			
A3510	EDM-graphite	6.23			
A3511	EDM-graphite	6.23			
A3514	EDM-graphite	6.24			
A3515	EDM-graphite	6.25			
A3541	Recycling marking electrode	6.26			
A3542	Recycling marking electrode	6.26			
A3543	Recycling marking electrode	6.27			
A3545	CE-marking electrode	6.27			
A3546	Food-marking electrode	6.28			
A3547	Recycling marking electrode	6.28			
A4700	Air blow gun	6.29			
A4720	Spiral hose	6.29			
A5000/1	Extraction tool kit	6.30			
A5050	Hexagon key	6.30			
A5051	Hexagon key	6.31			
A5053	Hexagon key	6.31			
A5055	Hexagon key	6.32			
A5060	Hexagon key set	6.32			
A5061	Hexagon key set	6.33			
A5080	Slotted nut driver	6.33			
A5120	Hook wrench	6.34			
A5121	Pin wrench	6.34			
A5130 (Z92)	Box spanner	5.37			
A5710	Cycle counter	6.36			
A5712	Cycle counter	6.37			
A5714	Comb. cycle counter	6.38			
A5716	Universal counter	6.39			
A5720	Resetting tool	6.40			
A5722	Insulation frame	6.40			
A5723	Insulating frame	6.41			
K100	Locating ring	1.122			
K103	Locating ring	1.123			
K500	Locating ring	1.124			
K503	Locating ring	1.125			
K505	Locating ring	1.126			
V6800	Clamping fixture	6.42			
V6805	Clamping fixture	6.43			
V8620	Clamping tool set	6.44			
V6822	Clamping tool set	6.45			
V6850	Clamping device	6.46			
V6855	Positioning fixture	6.46			

03.02.13.15 222227

# Z-Standards

## Contents (Listing according to DIN/ISO standards)

Standard	Designation	Prod.-No.	Page
DIN 471	Circlip for shafts	Z 67/...	1.95
DIN 472	Circlip for holes	Z 68/...	1.97
DIN 508	Nut for T-slots	Z 285 (V 5310)	1.52
DIN 580	Lifting eye bolt	Z 71/...	1.101
DIN 582	Eye nut	Z 712/...	1.102
DIN 625 -1	Grooved ball bearing	Z 1562/...	2.66
DIN 720	Taper roller bearing	Z 1560/...	2.65
DIN 787	T-head bolt	Z 7521 (V 5510) Z 7522 (V 5511)	1.110 1.111
DIN 906	Hexagon socket pipe plug with tapered thread	Z 94/...	5.25
≈ DIN 908	Hexagon socket pipe plug headed	Z 941/...	5.26
DIN 913 ≈ ISO 4026	Hexagon socket set screw	Z 35/... Z 351/...	1.61 1.61
DIN 915 ISO 4028	Hexagon socket head screw with dog point	Z 34/...	1.60
DIN ISO 6751 (DIN 1530 -1)	Ejector pin, cylindrical head	Z 40/... Z 41/...	2.4 2.9
DIN 1530 -2 ISO 8694	Shouldered ejector pin, cylindrical head	Z 44/... Z 441/...	2.18 2.19
DIN 1530 -3	Ejector pin conical head	Z 42/... Z 43/...	2.14 2.17
DIN 1530 -4 ISO 8693	Flat ejector pin	Z 46/... Z 465/...	2.48 2.50
DIN 1804	Grooved nut, ISO-fine thread, metric	Z 165/... Z 169/...	2.71 2.74
≈ DIN 2098 -1	Compression spring with round cross section	Z 60/... Z 601/..	1.87 1.89
DIN 2093	Disc spring	Z 62/...	1.90
DIN 3017-1	Hose clip	Z 86/...	5.17
DIN 3863	Joining piece	Z 877/..	5.21
DIN 5254	Mounting pliers for circlips, shaft	Z 671/...	6.1
DIN 5256	Mounting pliers for circlips, holes	Z 681/...	6.1
DIN 5429 -1	Needle-thrust ball bearing, Needle-thrust roller bearing	Z 1564/... Z 1566/...	2.66 2.67
DIN 6120	Recycling insert	Z 487/1/...	1.77

Standard	Designation	Prod.-No.	Page
DIN 6319	Spherical washer Conical seat washer	Z 753 (V5210) Z 754 (V5220) Z 755 (V5230)	1.111 1.112 1.112
≈ DIN 6321	Stop pin	Z 551/...	1.82
DIN 6330	Hexagon nut	Z 281 (V5410)	1.51
DIN 6331	Collar nut	Z 282 (V5420)	1.51
DIN 6340	Washer	Z 562 (V5250)	1.84
DIN 6379	Threaded stud	Z 352 (V5520)	1.62
DIN 6885 -1	Parallel key	Z 1558/...	2.65
DIN 7984	Socket head cap screw with shallow head	Z 32/...	1.59
DIN 9825 -2 ISO 9182 -2	Guide pillar	Z 013/...	1.12
≈ DIN 16716	Locating guide bush	Z 10/... Z 11/...	1.34 1.38
≈ DIN 16752 -1	Sprue bushing	Z 51/... Z 511/... Z 512/...	3.2 3.4 3.6
DIN ISO 8405 (DIN 16756)	Ejector sleeve cylindrical head	Z 45/... Z 451/...	2.22 2.25
≈ DIN 16757	Sprue bushing	Z 53/...	3.10
≈ DIN 16759	Centering sleeve	Z 20/...	1.48
≈ DIN 16761	Locating guide pillar	Z 00/... Z 03/...	1.1 1.20
≈ DIN 44921	Cartridge heater	Z 110/...	4.1
DIN 46228 -1	Cable end sleeve	Z 1166/...	4.10
DIN 46237	Crimp type bracket	Z 1162/...	4.0
DIN 46341-1	Butt joint	Z 1165/...	4.9
DIN 934 (DIN EN 24032)	Hexagon nut	Z 28/...	1.50
DIN EN ISO 1580	Slotted pan head screw	Z 39/...	1.69
DIN 912 (DIN EN ISO 4762)	Socket head cap screw	Z 30/... Z 31/...	1.53 1.55
DIN 6325 (DIN EN ISO 8734)	Dowel pin	Z 25/...	1.49
DIN 7979 (DIN EN ISO 8735)	Dowel pin with internal thread	Z 26/...	1.50
DIN 7991 (DIN EN ISO 10642)	Countersunk socket head screw	Z 33/...	1.60

03.02.13.15 - 222227

Standard	Designation	Prod.-No.	Page
DIN IEC 603-11	Free connector	Z 1281/...	4.19
DIN ISO 355	Taper roller bearing	Z 1560/...	2.65
ISO 7379	Shoulder screw with ground shaft	Z 38/...	1.68
≈ EUROMAP 11 Part 5	Ejector coupling device	Z 159/...	2.68
VDE 0100	Erection of power installations with rated Voltages below 1000 V	Z 1225/...	4.16
		Z 1226/...	4.16
		Z 1227/...	4.17
		Z 1228/...	4.18
≈ DIN 375	Counterbore	A 2700/...	6.14
DIN 1810	Hook wrench	A 5120/...	6.34
DIN 2181	Tap-Set	A 2800/...	6.16
DIN ISO 603-6 (DIN 69139)	Special-grinding wheel	A 1915/...	6.12
DIN ISO 603-11 (DIN 69185)	Dressing stone	A 1265/...	6.11
DIN ISO 603-15 (DIN 69159)	Cutting wheel	A 1910/...	6.12
DIN 6911	Hexagon key with pilot, for SHC screws	A 5053/...	6.31
DIN ISO 2936	Hexagon key, for SHC screws	A 5050/...	6.30