


Metric Ejector Blades

What's Important

- One piece construction to improve strength



TYPE	E
ISO	8693
MATERIAL	H-13

SEE METRIC TOLERANCE CHART ON PAGE G1

Tolerances mm	
Blade Thickness (a)	-0.015
Blade Width (b)	-0.015
Pin Diameter (d1)	-0.100
Head Diameter (d2)	-0.200
Head Thickness (T)	-0.050
Overall Length (L1)	+2.0
Shoulder Length (L2)	-1.0 +2.0
Radius (r)	+2.0

CATALOG NUMBER	a BLADE THICK.	b BLADE WIDTH	d1 PIN DIA	d2 HEAD DIA	K HEAD THICK.	r RADIUS	L1	L2	L1	L2	L1	L2	L1	L2	L1	L2	L1	L2	L1	L2	L1	L2
							63	32	80	40	100	50	125	63	160	80	200	100	250	125	315	160
MB03510-	1.0	3.5	4.2	8	3	0.3	•	•	•	•	•											
MB03803-	0.8	3.8	4.2	8	3	0.3	•	•	•	•												
MB03810	1.0	3.8	4.2	8	3	0.3	•	•	•	•	•											
MB03812-	1.2	3.8	4.2	8	3	0.3		•	•	•	•											
MB04510-	1.0	4.5	5.0	10	3	0.3		•	•	•	•											
MB04512-	1.2	4.5	5.0	10	3	0.3		•	•	•	•											
MB04515-	1.5	4.5	5.0	10	3	0.3		•	•	•	•	•										
MB05510-	1.0	5.5	6.0	12	5	0.5		•	•	•	•											
MB05512-	1.2	5.5	6.0	12	5	0.5		•	•	•	•											
MB05515-	1.5	5.5	6.0	12	5	0.5		•	•	•	•	•										
MB05520-	2.0	5.5	6.0	12	5	0.5				•	•	•										
MB07512-	1.2	7.5	8.0	14	5	0.5			•	•	•	•										
MB07515-	1.5	7.5	8.0	14	5	0.5				•	•	•	•									
MB07520-	2.0	7.5	8.0	14	5	0.5					•	•	•	•								
MB09515-	1.5	9.5	10.0	16	5	0.5					•	•	•	•								
MB09520-	2.0	9.5	10.0	16	5	0.5						•	•	•	•							
MB11520-	2.0	11.5	12.0	20	7	0.8							•	•	•	•						
MB11525-	2.5	11.5	12.0	20	7	0.8								•	•	•	•					
MB15520-	2.0	15.5	16.0	22	7	0.8									•	•	•	•				
MB15525-	2.5	15.5	16.0	22	7	0.8										•	•	•	•			

NOTE: Add length to end of catalog number (MB03510-63)