


Guide Pins (with Collar)

Guide Pins (with Collar) – GDP-EC

Pernos guia con collar | Guias principais | Colonnes de guidage (avec épaulement) | Führungsbolzen (mit Bund)

INFORMATION KEY:
D = Pin Body Diameter
E = Shoulder Diameter
H = Head Diameter
K = Head Thickness
N = Pin Body Length
S = Shoulder Length
T = Collar Length
Standard: Euro-Series
Material: 1.7131 (AISI 5115 Type) Steel
Surface Treatment: Case Hardened
Dimensions: Shown in Millimeters (mm)



ITEM PREFIX	D	E	H	K	T	S	N																							
							020	025	030	035	045	050	055	060	065	070	075	085	090	095	105	110	125	135	145	150	155	165		
GDP-EC (R02)*	09 OR 10	14	16	3	3	012																								
						017																								
						022																								
						027																								
						036																								
						046																								
						056																								
GDP-EC (R02)*	14 OR 15	20	25	6	9	017																								
						022																								
						027																								
						036																								
						046																								
						056																								
						066																								
						076																								
						086																								
						096																								
116																														

* "(R02)" is only a cross-reference to current D-M-E Europe Catalog item prefix numbers.

HOW TO ORDER: Specify Item Number with prefix, D diameter, S length, and N length. Include zeros and dashes but omit decimals, as shown.



Example:

Prefix D S N
GDP-EC-09-027-020

Example:

Prefix D S N
GDP-EC-14-066-055

KEY TO CHART


- Items in stock
- 2-3 week delivery
- Contact D-M-E for quote

Guide Pins (with Collar)

Guide Pins (with Collar) – GDP-EC

Pernos guia con collar | Guias principais | Colonnes de guidage (avec épaulement) | Führungsbolzen (mit Bund)

INFORMATION KEY:
D = Pin Body Diameter
E = Shoulder Diameter
H = Head Diameter
K = Head Thickness
N = Pin Body Length
S = Shoulder Length
T = Collar Length
Standard: Euro-Series
Material: 1.7131 (AISI 5115 Type) Steel
Surface Treatment: Case Hardened
Dimensions: Shown in Millimeters (mm)



ITEM PREFIX	D	E	H	K	T	S	N																									
							035	045	055	065	075	085	095	105	115	120	125	130	135	145	155	165	205	225	245	255	285					
GDP-EC (R02)*	18 OR 20	26	31	6	9	017																										
						022																										
						027	⚡	⚡																								
						036	⚡		⚡																							
						046	⚡	⚡																								
						056	⚡		⚡																							
						066			⚡																							
						076			⚡																							
						086																										
						096																										
						116																										
						136																										
						GDP-EC (R02)*	22 OR 24	30	35	6	9	017																				
022																																
027	⚡	⚡																														
036	⚡		⚡																													
046	⚡	⚡																														
056	⚡		⚡																													
066			⚡																													
076			⚡																													
086			⚡																													
096			⚡																													
116																																
136																																
156																																

* "(R02)" is only a cross-reference to current D-M-E Europe Catalog item prefix numbers.

HOW TO ORDER: Specify Item Number with prefix, D diameter, S length, and N length. Include zeros and dashes but omit decimals, as shown

Prefix D S N

GDP-EC - - -

Example: Prefix D S N Example: Prefix D S N
 GDP-EC-18-056-035 GDP-EC-22-116-155

KEY TO CHART

- ⚡ Items in stock
- 2-3 week delivery
- Contact D-M-E for quote


Mold Components – Euro-Series | Guide Pins (with Collar)

Guide Pins (with Collar)

Guide Pins (with Collar) – GDP-EC

Pernos guia con collar | Guias principais | Colonnas de guidage (avec épaulement) | Führungsbolzen (mit Bund)

INFORMATION KEY:
D = Pin Body Diameter
E = Shoulder Diameter
H = Head Diameter
K = Head Thickness
N = Pin Body Length
S = Shoulder Length
T = Collar Length
Standard: Euro-Series
Material: 1.7131 (AISI 5115 Type) Steel
Surface Treatment: Case Hardened
Dimensions: Shown in Millimeters (mm)



Mold Components – Euro-Series | Guide Pins (with Collar)

ITEM PREFIX	D	E	H	K	T	S	N																											
							045	055	065	075	085	095	105	115	125	135	155	165	175	185	195	205	215	225	235	245	285	295						
GDP-EC (R02)*	30 OR 32	42	47	6	9	027																												
						036																												
						046																												
						056							⚡																					
						066								⚡																				
						076									⚡						⚡													
						086										⚡																		
						096											⚡																	
						116												⚡																
						136													⚡															
						156														⚡														
						196															⚡													
						GDP-EC (R02)*	40 OR 42	54	60	10	12	046																						
056																																		
066																																		
076																																		
086																																		
096																																		
116																																		
136																																		
156																																		
196																																		
246																																		

* "(R02)" is only a cross-reference to current D-M-E Europe Catalog item prefix numbers.

HOW TO ORDER: Specify Item Number with prefix, D diameter, S length, and N length. Include zeros and dashes but omit decimals, as shown



Example:
 Prefix D S N
 GDP-EC-30-096-075

Example:
 Prefix D S N
 GDP-EC-42-246-245

KEY TO CHART


- Items in stock
- 2-3 week delivery
- Contact D-M-E for quote

Angle Pins

Angle Pins – ADP


Pernos de ángulo | Guias de movimientos | Epingles anglees | Winkelstifte

INFORMATION KEY:
D = Pin Body Diameter
H = Head Diameter
K = Head Thickness
L = Pin Length
N = Lead in Taper Length
Standard: DIN Type
Material: 1.7131 (AISI 5115 Type) Steel
Surface Treatment: Case Hardened
Dimensions: Shown in Millimeters (mm)



ITEM PREFIX	D	H	K	N	L																
					040	060	080	100	120	140	160	180	200	210	220	230	240	250	270	300	360
APD	10	12	3	5	⚡		⚡			⚡											
	12	16	6	5			⚡	⚡	⚡	⚡											
	14	18	8	6				⚡	⚡	⚡	⚡	⚡		⚡							
	16	20	8	7				⚡	⚡	⚡	⚡	⚡	⚡	⚡							
	18	22	8	8						⚡	⚡	⚡	⚡		⚡						
	20	24	8	8					⚡	⚡	⚡	⚡	⚡			⚡					
	22	26	15	8																	
	24	28	15	8						⚡			⚡		⚡						
	30	34	15	8								⚡						⚡		⚡	⚡
	40	48	15	10														⚡		⚡	⚡
	50	58	15	10														⚡		⚡	⚡

HOW TO ORDER: Specify Item Number with prefix, D diameter and L length. Include zeros as shown, but omit all spaces (spaces are only shown here for easier reading).



Example:
 Prefix D L
 APD 10 040

Example:
 Prefix D L
 APD 50 360

KEY TO CHART


- ⚡ Items in stock
- 2-3 week delivery
- Contact D-M-E for quote

Guide Pins (without Collar)

Guide Pins (without Collar) – GDP-ES

Pernos guía | Guias | Colonnes de guidage (sans épaulement) | Führungsbolzen (ohne Bund)

INFORMATION KEY:
D = Pin Body Diameter
E = Shoulder Diameter
H = Head Diameter
K = Head Thickness
N = Pin Body Length
S = Shoulder Length
Standard: Euro-Series
Material: 1.7131 (AISI 5115 Type) Steel
Surface Treatment: Case Hardened
Dimensions: Shown in Millimeters (mm)



ITEM PREFIX	D	E	H	K	S	N																						
						020	025	030	035	040	045	050	055	060	065	070	075	080	085	090	095	105	110	115	125	135	165	
GDP-ES (R01)*	09 or 10	14	16	3	017																							
					022																							
					027																							
					036																							
					046																							
GDP-ES (R01)*	14 or 15	20	25	6	022																							
					027																							
					036																							
					046																							
					056																							
					066																							
					076																							
GDP-ES (R01)*	18 or 20	26	31	6	022																							
					027																							
					036																							
					046																							
					056																							
					066																							
					076																							
					086																							
					096																							
					116																							

* "(R01)" is only a cross-reference to current D-M-E Europe Catalog item prefix numbers.

HOW TO ORDER: Specify Item Number with prefix, D diameter, S length, and N length. Include zeros and dashes but omit decimals, as shown.



Example:
 Prefix D S N
 GDP-ES-14-036-035

Example:
 Prefix D S N
 GDP-ES-18-046-165

KEY TO CHART


- Items in stock
- 2-3 week delivery
- Contact D-M-E for quote

Guide Pins (without Collar)

Guide Pins (without Collar) – GDP-ES

Pernos guia | Guias | Colonnes de guidage (sans épaulement) | Führungsbolzen (ohne Bund)

INFORMATION KEY:
D = Pin Body Diameter
E = Shoulder Diameter
H = Head Diameter
K = Head Thickness
N = Pin Body Length
S = Shoulder Length
Standard: Euro-Series
Material: 1.7131 (AISI 5115 Type) Steel
Surface Treatment: Case Hardened
Dimensions: Shown in Millimeters (mm)



ITEM PREFIX	D	E	H	K	S	N																					
						025	045	050	055	060	065	070	075	080	085	095	105	115	125	135	155	165	175	195	215	235	
GDP-ES (R01)*	22 or 24	30	35	6	027		⚡																				
					036		⚡		⚡						⚡		⚡		⚡								
					046		⚡				⚡						⚡		⚡								
					056		⚡		⚡				⚡														
					066				⚡				⚡			⚡											
					076																						
					086																						
					096																						
					116																						
					136																						
GDP-ES (R01)*	30 or 32	42	47	6	027																						
					036																						
					046															⚡				⚡			
					056								⚡			⚡											
					066								⚡			⚡											
					076								⚡			⚡											
					086								⚡			⚡											
					096																						
					116																						
					136																						
156																											
196																											
GDP-ES (R01)*	40 or 42	54	60	10	056																						
					066																						
					076																						
					086																						
					096																						
					116																						
					136																						
					156																						
196																											

* "(R01)" is only a cross-reference to current D-M-E Europe Catalog item prefix numbers.

HOW TO ORDER: Specify Item Number with prefix, D diameter, S length, and N length. Include zeros and dashes but omit decimals, as shown.

Prefix - D - S - N
 GDP-ES - [] - [] - []

Example:
 Prefix D S N
 GDP-ES-22-027-045

Example:
 Prefix D S N
 GDP-ES-40-115-156

KEY TO CHART
 Items in stock
 2-3 week delivery
 Contact D-M-E for quote