

9 7/8" T-Series Mold Bases

X-1 = 0.875				9.875 x 8"	
X-2	B	C	H	ITEM NUMBER	NET WT.
1.375	0.875	2.5	10.25	108T-13-7	211
	1.375	2.5	10.75	108T-13-13	223
	1.875	3	11.75	108T-13-17	237
1.875	0.875	2.5	10.75	108T-17-7	223
	1.375	3	11.75	108T-17-13	237
	1.875	3.5	12.75	108T-17-17	251
2.375	1.375	3	12.25	108T-23-13	248
	1.875	3.5	13.25	108T-23-17	263
	2.375	3.5	13.75	108T-23-23	274
2.875	1.375	3	12.75	108T-27-13	259
	1.875	3.5	13.75	108T-27-17	274
	2.375	3.5	14.25	108T-27-23	285
3.375	1.875	3.5	14.25	108T-33-17	285
	2.375	4	15.25	108T-33-23	299
	2.875	4	15.75	108T-33-27	311
3.875	1.875	3.5	14.75	108T-37-17	296
	2.375	4	15.75	108T-37-23	311
	2.875	4	16.25	108T-37-27	322
4.875	2.375	4	16.75	108T-47-23	333
	2.875	4	17.25	108T-47-27	344
	3.375	4.5	18.25	108T-47-33	359

X-1 = 0.875				9.875 x 16"	
X-2	B	C	H	ITEM NUMBER	NET WT.
1.375	0.875	2.5	10.25	1016T-13-7	422
	1.375	3	11.25	1016T-13-13	451
	1.875	3	11.75	1016T-13-17	473
1.875	0.875	2.5	10.75	1016T-17-7	444
	1.375	3	11.75	1016T-17-13	473
	1.875	3.5	12.75	1016T-17-17	502
2.375	1.375	3	12.25	1016T-23-13	496
	1.875	3.5	13.25	1016T-23-17	525
	2.375	3.5	13.75	1016T-23-23	547
2.875	1.375	3	12.75	1016T-27-13	518
	1.875	3.5	13.75	1016T-27-17	547
	2.375	3.5	14.25	1016T-27-23	569
3.375	1.875	3.5	14.25	1016T-33-17	569
	2.375	4	15.25	1016T-33-23	598
	2.875	4	15.75	1016T-33-27	621
3.875	1.875	3.5	14.75	1016T-37-17	592
	2.375	4	15.75	1016T-37-23	621
	2.875	4	16.25	1016T-37-27	643
4.875	2.375	4	16.75	1016T-47-23	665
	2.875	4	17.25	1016T-47-27	688
	3.375	4.5	18.25	1016T-47-33	717

X-1 = 0.875				9.875 x 11.875	
X-2	B	C	H	ITEM NUMBER	NET WT.
1.375	0.875	2.5	10.25	1012T-13-7	313
	1.375	3	11.25	1012T-13-13	335
	1.875	3	11.75	1012T-13-17	351
1.875	0.875	2.5	10.75	1012T-17-7	330
	1.375	3	11.75	1012T-17-13	352
	1.875	3.5	12.75	1012T-17-17	373
2.375	1.375	3	12.25	1012T-23-13	368
	1.875	3.5	13.25	1012T-23-17	390
	2.375	3.5	13.75	1012T-23-23	406
2.875	1.375	3	12.75	1012T-27-13	385
	1.875	3.5	13.75	1012T-27-17	406
	2.375	3.5	14.25	1012T-27-23	423
3.375	1.875	3.5	14.25	1012T-33-17	423
	2.375	4	15.25	1012T-33-23	444
	2.875	4	15.75	1012T-33-27	461
3.875	1.875	3.5	14.75	1012T-37-17	439
	2.375	4	15.75	1012T-37-23	461
	2.875	4	16.25	1012T-37-27	477
4.875	2.375	4	16.75	1012T-47-23	494
	2.875	4	17.25	1012T-47-27	511
	3.375	4.5	18.25	1012T-47-33	532

X-1 = 0.875				9.875 x 20"	
X-2	B	C	H	ITEM NUMBER	NET WT.
1.375	0.875	2.5	10.25	1020T-13-7	528
	1.375	3	11.25	1020T-13-13	564
	1.875	3	11.75	1020T-13-17	592
1.875	0.875	2.5	10.75	1020T-17-7	556
	1.375	3	11.75	1020T-17-13	592
	1.875	3.5	12.75	1020T-17-17	628
2.375	1.375	3	12.25	1020T-23-13	620
	1.875	3.5	13.25	1020T-23-17	656
	2.375	3.5	13.75	1020T-23-23	684
2.875	1.375	3	12.75	1020T-27-13	648
	1.875	3.5	13.75	1020T-27-17	684
	2.375	3.5	14.25	1020T-27-23	712
3.375	1.875	3.5	14.25	1020T-33-17	712
	2.375	4	15.25	1020T-33-23	748
	2.875	4	15.75	1020T-33-27	776
3.875	1.875	3.5	14.75	1020T-37-17	740
	2.375	4	15.75	1020T-37-23	776
	2.875	4	16.25	1020T-37-27	804
4.875	2.375	4	16.75	1020T-47-23	832
	2.875	4	17.25	1020T-47-27	860
	3.375	4.5	18.25	1020T-47-33	896

NO. 1 OR NO. 2 STEEL ASSEMBLIES

All plates above ejector housing are No. 1 or No. 2 Steel, respectively.

NO. 3 STEEL ASSEMBLIES


"X-1", "X-2" and "B" Plates are No. 3 Steel.

"A" -Clamping and Support Plates are No. 2 Steel.

NO. 7 STEEL ASSEMBLIES

Any or all plates available as requested.

NOTE: For 3-Plate Extension Bushings, see page 195.



For detailed dimensions, see corresponding size "A" Series Mold Bases.

WHEN ORDERING, PLEASE SPECIFY:

- Quantity & Item Number
- No. 1, No. 2, No. 3, or No. 7 Steel
- Locating Ring Item Number
- E, O and R Dimensions
- L Dimension (Leader Pin Length)
- Method of Shipment