

17⁷/₈" T-Series Mold Bases

NO. 1 OR NO. 2 STEEL ASSEMBLIES

All plates above ejector housing are No. 1 or No. 2 Steel, respectively.

NO. 3 STEEL ASSEMBLIES

"X-1", "X-2", and "B" Plates are No. 3 Steel. "A" -Clamping and Support Plates are No. 2 Steel.

NO. 7 STEEL ASSEMBLIES

Any or all plates available as requested.

X-1 = 1.375				17.875 × 18"	
X-2	B	C	H	ITEM NUMBER	NET WT.
1.875	1.375	3	12.75	1818T-17-13	1066
	1.875	3	13.25	1818T-17-17	1112
	2.375	3.5	14.25	1818T-17-23	1167
2.375	1.375	3.5	13.75	1818T-23-13	1122
	1.875	3.5	14.25	1818T-23-17	1167
	2.375	3.5	14.75	1818T-23-23	1213
2.875	1.375	3.5	14.25	1818T-27-13	1167
	1.875	3.5	14.75	1818T-27-17	1213
	2.375	3.5	15.25	1818T-27-23	1258
3.375	1.875	4	15.75	1818T-33-17	1268
	2.375	4	16.25	1818T-33-23	1313
	2.875	4.5	17.25	1818T-33-27	1369
3.875	1.875	4	16.25	1818T-37-17	1313
	2.375	4.5	17.25	1818T-37-23	1369
	2.875	4.5	17.75	1818T-37-27	1414
4.875	2.375	4.5	18.25	1818T-47-23	1460
	2.875	4.5	18.75	1818T-47-27	1505
	3.375	4.5	19.25	1818T-47-33	1551
5.875	2.875	4.5	19.75	1818T-57-27	1596
	3.875	4.5	20.75	1818T-57-37	1688
	4.875	4.5	21.75	1818T-57-47	1779

X-1 = 1.375				17.875 × 23.5	
X-2	B	C	H	ITEM NUMBER	NET WT.
1.875	1.375	3	12.75	1823T-17-13	1392
	1.875	3	13.25	1823T-17-17	1452
	2.375	3.5	14.25	1823T-17-23	1524
2.375	1.375	3.5	13.75	1823T-23-13	1464
	1.875	3.5	14.25	1823T-23-17	1524
	2.375	3.5	14.75	1823T-23-23	1583
2.875	1.375	3.5	14.25	1823T-27-13	1524
	1.875	3.5	14.75	1823T-27-17	1583
	2.375	3.5	15.25	1823T-27-23	1643
3.375	1.875	4	15.75	1823T-33-17	1655
	2.375	4	16.25	1823T-33-23	1714
	2.875	4.5	17.25	1823T-33-27	1786
3.875	1.875	4	16.25	1823T-37-17	1714
	2.375	4.5	17.25	1823T-37-23	1786
	2.875	4.5	17.75	1823T-37-27	1846
4.875	2.375	4.5	18.25	1823T-47-23	1905
	2.875	4.5	18.75	1823T-47-27	1965
	3.375	4.5	19.25	1823T-47-33	2024
5.875	2.875	4.5	19.75	1823T-57-27	2084
	3.875	4.5	20.75	1823T-57-37	2203
	4.875	4.5	21.75	1823T-57-47	2322

X-1 = 1.375				17.875 × 29.5	
X-2	B	C	H	ITEM NUMBER	NET WT.
1.875	1.375	3	12.75	1829T-17-13	1747
	1.875	3	13.25	1829T-17-17	1822
	2.375	3.5	14.25	1829T-17-23	1912
2.375	1.375	3.5	13.75	1829T-23-13	1838
	1.875	3.5	14.25	1829T-23-17	1912
	2.375	3.5	14.75	1829T-23-23	1987
2.875	1.375	3.5	14.25	1829T-27-13	1912
	1.875	3.5	14.75	1829T-27-17	1987
	2.375	3.5	15.25	1829T-27-23	2062
3.375	1.875	4	15.75	1829T-33-17	2077
	2.375	4	16.25	1829T-33-23	2152
	2.875	4.5	17.25	1829T-33-27	2242
3.875	1.875	4	16.25	1829T-37-17	2152
	2.375	4.5	17.25	1829T-37-23	2242
	2.875	4.5	17.75	1829T-37-27	2317
4.875	2.375	4.5	18.25	1829T-47-23	2392
	2.875	4.5	18.75	1829T-47-27	2466
	3.375	4.5	19.25	1829T-47-33	2541
5.875	2.875	4.5	19.75	1829T-57-27	2616
	3.875	4.5	20.75	1829T-57-37	2765
	4.875	4.5	21.75	1829T-57-47	2915

X-1 = 1.375				17.875 × 20"	
X-2	B	C	H	ITEM NUMBER	NET WT.
1.875	1.375	3	12.75	1820T-17-13	1185
	1.875	3	13.25	1820T-17-17	1235
	2.375	3.5	14.25	1820T-17-23	1297
2.375	1.375	3.5	13.75	1820T-23-13	1246
	1.875	3.5	14.25	1820T-23-17	1297
	2.375	3.5	14.75	1820T-23-23	1347
2.875	1.375	3.5	14.25	1820T-27-13	1297
	1.875	3.5	14.75	1820T-27-17	1347
	2.375	3.5	15.25	1820T-27-23	1398
3.375	1.875	4	15.75	1820T-33-17	1409
	2.375	4	16.25	1820T-33-23	1459
	2.875	4.5	17.25	1820T-33-27	1521
3.875	1.875	4	16.25	1820T-37-17	1459
	2.375	4.5	17.25	1820T-37-23	1521
	2.875	4.5	17.75	1820T-37-27	1571
4.875	2.375	4.5	18.25	1820T-47-23	1622
	2.875	4.5	18.75	1820T-47-27	1672
	3.375	4.5	19.25	1820T-47-33	1723
5.875	2.875	4.5	19.75	1820T-57-27	1774
	3.875	4.5	20.75	1820T-57-37	1875
	4.875	4.5	21.75	1820T-57-47	1976

X-1 = 1.375				17.875 × 26"	
X-2	B	C	H	ITEM NUMBER	NET WT.
1.875	1.375	3	12.75	1826T-17-13	1540
	1.875	3	13.25	1826T-17-17	1606
	2.375	3.5	14.25	1826T-17-23	1686
2.375	1.375	3.5	13.75	1826T-23-13	1620
	1.875	3.5	14.25	1826T-23-17	1686
	2.375	3.5	14.75	1826T-23-23	1751
2.875	1.375	3.5	14.25	1826T-27-13	1686
	1.875	3.5	14.75	1826T-27-17	1751
	2.375	3.5	15.25	1826T-27-23	1817
3.375	1.875	4	15.75	1826T-33-17	1831
	2.375	4	16.25	1826T-33-23	1897
	2.875	4.5	17.25	1826T-33-27	1976
3.875	1.875	4	16.25	1826T-37-17	1897
	2.375	4.5	17.25	1826T-37-23	1976
	2.875	4.5	17.75	1826T-37-27	2042
4.875	2.375	4.5	18.25	1826T-47-23	2108
	2.875	4.5	18.75	1826T-47-27	2174
	3.375	4.5	19.25	1826T-47-33	2240
5.875	2.875	4.5	19.75	1826T-57-27	2306
	3.875	4.5	20.75	1826T-57-37	2437
	4.875	4.5	21.75	1826T-57-47	2569

X-1 = 1.375				17.875 × 35.5	
X-2	B	C	H	ITEM NUMBER	NET WT.
1.875	1.375	3	12.75	1835T-17-13	2103
	1.875	3	13.25	1835T-17-17	2193
	2.375	3.5	14.25	1835T-17-23	2301
2.375	1.375	3.5	13.75	1835T-23-13	2211
	1.875	3.5	14.25	1835T-23-17	2301
	2.375	3.5	14.75	1835T-23-23	2391
2.875	1.375	3.5	14.25	1835T-27-13	2301
	1.875	3.5	14.75	1835T-27-17	2391
	2.375	3.5	15.25	1835T-27-23	2481
3.375	1.875	4	15.75	1835T-33-17	2500
	2.375	4	16.25	1835T-33-23	2590
	2.875	4.5	17.25	1835T-33-27	2699
3.875	1.875	4	16.25	1835T-37-17	2590
	2.375	4.5	17.25	1835T-37-23	2699
	2.875	4.5	17.75	1835T-37-27	2788
4.875	2.375	4.5	18.25	1835T-47-23	2878
	2.875	4.5	18.75	1835T-47-27	2968
	3.375	4.5	19.25	1835T-47-33	3058
5.875	2.875	4.5	19.75	1835T-57-27	3148
	3.875	4.5	20.75	1835T-57-37	3328
	4.875	4.5	21.75	1835T-57-47	3508

WHEN ORDERING, PLEASE SPECIFY:

- Quantity & Item Number
- No. 1, No. 2, No. 3, or No. 7 Steel
- Locating Ring Item Number
- E, O and R Dimensions
- L Dimension (Leader Pin Length)
- Method of Shipment

For detailed dimensions, see corresponding size "A" Series Mold Bases.

NOTE: For 3-Plate Extension Bushings, see page 195.