


Ejector Blades

U.S. Standard



What's Important

- Longer blade length
- Annealed heads

- One piece construction to improve strength
- Blade hardness 50 - 52 Rc
- Close tolerances on blade improves fit and accuracy
- Special sizes available upon request
- For Metric Blades - See Metric Section
- **Etched for Easy Identification**

Tolerances	
Blade Thickness (D)	+0.000 -0.003
Blade Width (F)	+0.000 -0.003
Pin Diameter (A)	+0.000 -0.001
Head Diameter (H)	+0.000 -0.010
Head Thickness (T)	+0.000 -0.002
Blade Length	+0.062 -0.000
Overall Length (L)	+0.062 -0.000

CATALOG NUMBER	D BLADE THICK.	F BLADE WIDTH	A PIN DIA	BLADE LENGTH	H HEAD DIA	T HEAD THICK.	L = OVERALL LENGTH							
							5	6	6-3/8	7-3/8	8	8-3/8	9-3/8	10-3/8
BE9-244	.024	.100	.125	4-3/8	1/4	1/8			•					
BE9-323	.032	.100	.125	3	1/4	1/8	•	•						
BE9-324	.032	.100	.125	4-3/8	1/4	1/8			•	•				
BE9-463	.046	.100	.125	3	1/4	1/8	•	•						
BE9-464	.046	.100	.125	4-3/8	1/4	1/8			•	•				
BE11-244	.024	.140	.156	4-3/8	9/32	5/32			•					
BE11-323	.032	.140	.156	3	9/32	5/32		•			•			
BE11-324	.032	.140	.156	4-3/8	9/32	5/32			•	•		•		
BE11-463	.046	.140	.156	3	9/32	5/32		•			•			
BE11-464	.046	.140	.156	4-3/8	9/32	5/32			•	•		•		
BE13-244	.024	.172	.187	4-3/8	3/8	3/16			•					
BE13-323	.032	.172	.187	3	3/8	3/16		•			•			
BE13-324	.032	.172	.187	4-3/8	3/8	3/16			•	•		•		
BE13-463	.046	.172	.187	3	3/8	3/16		•			•			
BE13-464	.046	.172	.187	4-3/8	3/8	3/16			•	•		•		
BE13-623	.062	.172	.187	3	3/8	3/16		•			•			
BE13-624	.062	.172	.187	4-3/8	3/8	3/16			•	•		•		
BE17-323	.032	.234	.250	3	7/16	3/16	•	•			•			
BE17-324	.032	.234	.250	4-3/8	7/16	3/16			•	•		•	•	•
BE17-463	.046	.234	.250	3	7/16	3/16	•	•			•			
BE17-464	.046	.234	.250	4-3/8	7/16	3/16			•	•		•	•	•
BE17-623	.062	.234	.250	3	7/16	3/16	•	•			•			
BE17-624	.062	.234	.250	4-3/8	7/16	3/16			•	•		•	•	•
BE21-324	.032	.296	.312	4-3/8	1/2	1/4			•	•		•	•	•
BE21-464	.046	.296	.312	4-3/8	1/2	1/4			•	•		•	•	•
BE21-624	.062	.296	.312	4-3/8	1/2	1/4			•	•		•	•	•
BE21-784	.078	.296	.312	4-3/8	1/2	1/4			•	•		•	•	•
BE25-324	.032	.359	.375	4-3/8	5/8	1/4			•	•		•	•	•
BE25-464	.046	.359	.375	4-3/8	5/8	1/4			•	•		•	•	•
BE25-624	.062	.359	.375	4-3/8	5/8	1/4			•	•		•	•	•
BE25-784	.078	.359	.375	4-3/8	5/8	1/4			•	•		•	•	•
BE33-625	.062	.484	.500	5-3/8	3/4	1/4						•	•	•
BE33-785	.078	.484	.500	5-3/8	3/4	1/4						•	•	•

* Add length to the end of the catalog number (i.e. BE9-3236, BE13-3247)

